

This effort reflects collaboration between RD, BEAD, EFED, HED and PRD, and chemical teams for all 4 neonics from each division. The interdivisional team met regularly to discuss assessment progress, methods and make sure that the assessments addressed PRD's needs.

The assessments conducted by EFED and BEAD were highly refined.

Outline

- Overview
- Risk Management Approach
- Bee Risks and Benefits
- Bee Risk Mitigation
- Other Ecological Risk Mitigation
- Human Health Mitigation
- Other Considerations
- Next Steps

Internal, Deliberative - Do Not Gibs, Distribute, or Quote

Overview

Nitroguanidine-substituted neonicotinoids (includes: imidacloprid, clothianidin, thiamethoxam, and dinotefuran) are:

- A class of systemic insecticides registered for foliar (ground and air), soil, seed, and tree injection applications to a wide variety of agricultural crops
- Non-agricultural uses include turf, ornamentals, flea treatment for pets, wood preservative, poultry house, and other residential and commercial indoor/outdoor uses
- Most poundage applied as seed treatment for corn and soybean

Chamical	Est, annuel usage (las/yr)	Major uses (lbs/year)	
Clothianidin	1,500,000	Corn (seed treatment; 1,400,000)	
Imidacloprid	1,120,000	Soybean (seed treatment, 430,000) Cotton, Potato, Wheat (all app. methods, 100,000 ea.)	
Thiamethoxam	919,000	Corn (seed treatment; 300,000) Cotton (foliar, soil, seed; 160,000) Soybean (seed treatment; 300,000)	
Dinotefuran	22,500	Cantaloupes (5,000) Rice (foliar; 4,000)	

Overview

USEPA Regulatory history

- · Registration review began in 2008 with imidacloprid, then others in 2011
- · Public concern over pollinator issues related to incidents and honey bee losses (2008)
- · Label revisions implemented advisory "Bee Box", pollinator restrictions for Ag and non-Ag products (2013)
- Hold placed on new uses to outdoor pollinator attractive crops (2015)
- 12 thiamethoxam/clothianidin voluntary product cancellations as a result of an ESA lawsuit (March 2019)

States

- · States have passed legislation that address neonic issues
 - · MD, VT and CT; restricted homeowner use
 - · OR banned use on certain trees
 - NJ required beekeeper notification
 - CDPR requires risk management plan by 2020
- · Many states have implemented state-wide pollinator protection plans (MP3s); AAPCO maintains inventory

International

- EU banned on all outdoor use (2018)
- · Canada seed licensing requirements (2015); proposed cancellation of all outdoor uses for aquatic risk (2018); prohibited foliar and soil application for certain uses (e.g., pome fruit, stone fruit, tree nuts, cucurbits) for pollinator risk (2019)

Internal, Deliberative - Do Not Cite, Distribute, or Quote 4

Let's make sure our verbal intro to this slide hits hard on incidents and neonics in the media

Canada's seed licensing requirements: https://www.ontario.ca/page/neonicotinoid-regulations-seed-vendors

Overall Risk Management Approach

Risk Management Priorities

- · Human Health Risks of Concern (residential and occupational)
- Ecological Risks of Concern
 - · Pollinators (bees) from multiple use sites
 - · Birds and Mammals from consuming treated seed
 - · Aquatic Invertebrates mainly from foliar application to multiple uses

Early Stakeholder Engagement

- · Goals
 - · To inform risk assessments and understanding of exposure to bees
 - · To better understand benefits of uses preliminarily identified with risks of concern
- Stakeholders: Federal and state partners (USDA, OPMP; SFIREG, AAPCO, and NASDA; IR-4; Growers; Registrants; Other Stakeholders (American Hort, NALP, NPMA)

internal, DelAscative - Do Not Girs, Distribute, or Quote S

In talking about risk management priorities, start out by letting the group know that these are the areas where the risk assessments indicated mitigation was needed, but that per our regs, we considered benefits extensively in our risk benefit calculus where appropriate, and this information is woven throughout our forthcoming discussion on mitigation

Bee Risk Management Approach

Declines in general honey bee colonies are due to multiple factors, however through our risk assessment we have identified certain neonicotinoid uses where risk estimates indicate adverse effects to hives are expected.

<u>Goal:</u> To preserve the plant protection benefits of neonicotinoids, while implementing targeted risk reductions, particularly to honey bees which provide a benefit to agriculture through pollination services.

Pollinator Protection Focus

- · Focus on honey bees due to special economic benefits
 - 2017 USDA NASS Honey report estimates value of commercial pollination services at \$435 million (increasing)
 - 2017 USDA Honey Report estimates value of honey production at \$318 million (declining)
- Non-honey bees provide a significant contribution to pollination services
 - Some used for commercial pollination (bumble bees, leafcutter bees, blue orchard bees)
- · Other pollinators expected to benefit from mitigation (i.e., rate reductions, spray drift reduction)


We propose addressing risk by:

Targeting certain uses with potentially lower benefits and higher risks during the critical pre-bloom exposure period

Deliberative Process / Ex. 5

Reducing exposure off-site by reducing drift and runoff

Promoting voluntary stewardship efforts to encourage best practices, education, and outreach to applicators and beekeepers



Ecological Risk - Bees

Lines of evidence considered in making risk call

- · Based on crops that are attractive to bees
- · Based on agronomic practices (e.g., harvest time relative to bloom)
- · Comparison of residues to adverse effects level for hives (residues above NOAEC and LOAEC)
 - · Considered duration and frequency of exceedance
 - · Considered magnitude of exceedance
 - Ratio of max residue value to NOAEC/LOAEC
 - % of diet from the treated field needed to reach the NOAEC/LOAEC
 - · Considered usage and geographic scale/spatial distribution of exposure
- · Major Categories of Incidents
 - · Bee kills from dust-off from corn seeds treated with clothianidin
 - · Bee kills from ornamental tree applications
 - · Bee kills from drift of spray application to agricultural fields

Internal, Deliberative - Do Not Gire, Distribute, or Quote

~

Risks of concern result primarily from foliar applications and some soil applications Risks are estimated to extend >1,000 ft from the edge of the field (foliar spray)

Benefits Assessments

• BEAD evaluated the impacts of multiple mitigation options depending on the risks being considered by use site (multiple assessments)

Methodology

- · BEAD identifies key pests and alternatives based on recent usage data and extension literature
- Impact of mitigation (restriction) is measured by increased cost/acre, reduced revenue/acre via yield and/or
 quality loss with use of alternatives

Conclusions

- · In general, neonics' advantages are:
 - Fairly broad spectrum: control sap-sucking insects, many of which vector disease; Individual a.i.s control somewhat different pests
 - · Systemic and contact activity
 - · Systemic: residual control for an extended period of time
 - · Contact: immediate control (stops-feeding activity) reduces disease vectoring
 - · Often comparatively inexpensive and effective
- · In general, alternatives include:
 - · organophosphates, pyrethroids, and carbamates; acetamiprid

Internal, Deliberative - Do Not Gite, Describete, or Quete

3

Risk Mitigation - Bees (agricultural use)

Highest Impact to Uses: Uses where neonicotinoids play a critical role in pest management to the extent that certain risk mitigation measures targeted at reducing pollinator exposure would have significant impacts on the use (i.e., alternatives exist though are substantially more expensive or existing alternatives pose potential increased risks to human health)

Mitigation Measures

- · Rate Reduction (annual) Cotton, Pome Fruit, Stone Fruit
 - · Rate reductions selected to have minimal impact on most applications goal is to limit flexibility for highest rates that are rarely used
 - · Cotton is indeterminate blooming, increasing impact of bloom restriction
 - · Also reduces risks to aquatic invertebrates
 - · Risk reductions extend off-field
- Pre-bloom Application Interval Pome Fruit, Stone Fruit, and Tree Nuts (thiamethoxam and dinotefuran only)
 - · Majority of benefit occurs post-bloom, other neonicotinoids already prohibit pre-bloom application
 - · Use crop stage to designate when applications may no longer occur (i.e., "Do not apply after swollen bud until petal fall")
- · No mitigation Citrus, Grapes
 - · Full use of neonicotinoids crucial to crops due to specific pest pressure (e.g., ACP, glassy-winged sharpshooter)

Internal, Deliberative - Do Not Cite, Destribute, or Quota $= 30\,$

Notes from BEAD

- Rate reductions could reduce efficacy, which could impact yield/quality or cause growers to make additional applications and/or use other AIs
- Note expected impacts in pome fruit from this mitigation

Risk Mitigation – Bees (agricultural use)

Lower Impact on Uses: Uses where neonicotinoids are an important tool for certain pests or at certain time periods

Mitigation Measures

- · Rate Reduction (annual) Berries (non-grape)
 - · Some berries are indeterminate blooming, increasing impact of bloom restriction
- · Pre-bloom Application Interval Fruiting Vegetables, Cucurbits, Tropical and Sub-Tropical Fruit
 - · Use crop stage to designate when applications may no longer occur ("Do not apply after appearance of flower bud until petal fall")
 - · For Tropical and Sub-Tropical Fruit, would only apply to highest usage crops (e.g., avocado, pomegranate)
 - Note that benefits uncertain due to limited data; Agency will consider public comments on PID
- · No mitigation Root and Tuber, Herbs and Spices, Tropical and Sub-tropical fruits
 - · Additional use characterization of acres grown and pollinator attractiveness limit extent of risks of concern

Internal, Deliberative - Do Not Cite, Describere, or Quota $\hfill = 33$

BEAD Notes that rate reductions could potentially reduce efficacy, which could impact yield/quality or cause growers to make additional applications and/or use other AIs

Risk Mitigation - Bees (agricultural use)

Other Mitigation Measures

For acute risk to bee (direct contact exposure during bloom)

Current Mitigation Measures

- · Continuation of at-bloom application restrictions and pollinator advisory "bee box"
 - · At-bloom restriction statement, applies to all food crops that are pollinator attractive
 - · Prohibiting application during bloom expected to reduce both acute and chronic risk
- · Bee hazard advisory language, also in "bee box"

Poultry Litter

Mitigation Measure

· Limit number of whole house applications for imidacloprid, clothianidin, and thiamethoxam

PROTECTION OF POLLINATORS



APPLICATION RESTRICTIONS EXIST FOR THIS

PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT

Look for the bee hazzard icon

in the Directions for thee for each
application site for specific use restrictions and instructions to protect bees and
other insect polimators.
This product can still beas and other insect polimators.
Bees and other insect polimators will forage on plants when they flower, sixed police, or
produce nectar.

Direct posted during follor applications, or contact with residues on plant surfaces after
flow applications.

- Direct contents carrieg (note approximately) or consuct with carried sources on plant son others are stated follows from the properties of the perticular in the properties of residues in nectar and policy when the perticular is applied as a seed treatment, soil, thee injection, as well as follow applications.
- When Using this Product Take Steps To:

 Minimize appears of this product to bees and other insect politinators when they are foreging on politions attractive placts around the application site.

 Minimize eith of this product are to believe as to off-site politinator attractive habitat. Dolff of this product onto been access to off-site politicator attractive habitat.

Risk Mitigation – Bees (Ornamental and Turf uses) Risk Strongest evidence of risk for ornamentals and forestry (moderate evidence for turf) Incidents of bee kills recorded for IMI, CLOTHI, and DINO Uncertainty considerations: Very limited data set for a diverse set of plants Unable to refine exceedances based on time Residential Ornamental Mitigation: Ex. 5 Deliberative Process (DP) Land Mitigation: E.g. Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP) Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

BEAD notes:

Risk Mitigation - Birds and Mammals

Seed Treatment

Risks

- · For small-medium size birds and mammals, expected risk of concern with as little as 2-10% of
- Certain seeds are too big for small/medium sized passerine birds to ingest; some are pelleted
- Timing and duration of exposure to treated seeds at planting may limit the likelihood of exposure

Benefits

- · Simple, effective control of soil pests and early-season above-ground pests
- Chlorpyrifos is likely other seed treatment but controls soil pests only
- Requiring (increased) pelleting would require machinery changes, could interfere with seed germination

Current Risk Mitigation

- Consistency with seed stewardship and label statements advising users to clean up spills, dispose of excess seed to avoid contamination of water bodies
 - · Will also be included on seed bag tags

Internal, Deliberative - Do Not Cite, Destribute, or Quota $= \frac{36}{2}$

Talking Point: Stewardship efforts will also attempt to address issues from dust-off.

Risk Mitigation - Aquatic Invertebrates

Risks

- RQs range up to 2,130
- · Neonicotinoids are especially mobile and persistent in aquatic environments
- Large amount of registrant and open literature data to support toxic effects
- · Large amount of monitoring data (imid) to support exposure estimates

Benefits

- PRD and BEAD conducted a screen of uses with few acres treated and/or high PCT vs risk; did not consider mitigating uses with lower risk/high benefit
- Targeted remaining uses based on feasibility of rate reductions (BEAD assessment provided rate information)

Proposed Risk Mitigation

Ex. 5 Deliberative Process (DP)

Other considerations:

Risk Mitigation – Aquatic Invertebrates Proposed Risk Mitigation (continued) Ex. 5 Deliberative Process (DP) Spray Drift Mitigation Ex. 5 Deliberative Process (DP) Runoff Mitigation Ex. 5 Deliberative Process (DP) Good labelling practices and label clarification Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

BEAD notes:

Human Health Risk Summary

	Biology Exposure	Residential Exposure	Aggregate Exposure	Course on Especia
midacloprid	none	Turf – post-application	Turf – post-application	Handler risks for multiple scenarios – seed treatment
Tothi anidri	none	none	none	Handler risks for seed treatment and aerosol (commercial bedbug) uses
	none	none	none	Handler risks for multiple scenarios – seed treatment
Entra turan	none	none	none	none
	****		**internal, Deliberative - Do Not (lite, Distribute, or Quote** — 17

Risk Mitigation - Human Health

Residential Risk - Imidacloprid Residential & Aggregate Risks of Concern

- Proposed Turf Mitigation: Cancel use of residential spray applications
 - Due to post application risks of concern to children and adults from dermal high-contact activities and contact with treated turf (hand-to-mouth)
 - Registrants developing new turf transferable residue data that may show no risks of concern at current application rates; to be submitted after publication of PID
- Previous risks of concern identified for pet collar uses
 - Comments and data received during comments to preliminary assessment changed the Agency's risk conclusions; no longer a risk of concern

Internal, Deliberative - Do Not Cite, Describere, or Quota - 18

Potential for rate reductions as n alternative, however not considered necessary due to likely outcome of new data submissions.

Highlight changes to pet collar risk estimates with new data and comments and corrections from Bayer

Risk Mitigation - Human Health

Seed Treatment (Occupational Risk)

Additional PPE

Ex. 5 Deliberative Process (DP)

<u>Liquid Spray Application (Occupational Risk) – Additional PPE</u>

Ex. 5 Deliberative Process (DP)

Internal, Deliberative - Do Not Gite, Detabate, or Quote

33

Ex. 5 Deliberative Process (DP)

BEAD Notes:

Other Regulatory Considerations

US EPA Stewardship Efforts

- Describes education and outreach programs for the care of spilled or uncovered treated seed
- Describes certain best management practices (BMPs) and technologies available to reduce dust off from application of treated seed
- Describes importance of efforts directed at improving bee health, including planting habitat, IPM for common bee pests, along BMPs and Manager Pollinator Protection Plans (MP3) to reduce exposure to bees from pesticides

Registrant Stewardship Proposal

- EPA reached out to the neonic technical registrants to develop a voluntary neonic stewardship program. The registrants proposed a plan to work together to improve and expand existing stewardship efforts
- Includes registrant out-reach to growers to identify applicable BMPs; and,
- Promotes consistency and collaboration, and utilizing their wide network of partners to amplify their existing stewardship efforts.

internal, DelAerative - Do Not Girs, Distribute, or Quote 20

Other Regulatory Considerations

Seed Dust-Off

Ex. 5 Deliberative Process (DP)

Pending Registration Actions

Ex. 5 Deliberative Process (DP)

Petitions

- Currently 2 petitions related to neonicotinoids pending outcome of these decisions
 - · Clothianidin risk to pollinators
 - · Seed Treatment; exemption for treated seed

Internal, Deliberative - Do Not Cite, Distribute, or Quete 21

Stakeholder Interest and Outreach

Stakeholder Interest

- · Registrants path forward for new uses and clarity of path forward as well as a level playing field
- Growers continued availability of reasonably priced and safe tools for combating insect pest pressure
- · Non-Governmental Organizations/Public assurance of safe reduction in risk/exposure to bees
- Beekeepers concerns with growers utilizing pesticides that are potentially impactful to bee populations
- Federal Government Agencies clarity on path forward and reasonable, targeted, mitigation to reduce potential risk exceedances in accordance with current statutory requirements that does not unreasonably impact growers
- State Government Agencies varies depending on state and organization, states like "California will be looking closely into what mitigation EPA proposes which may effect the path forward they take in their own regulatory requirements, while other state department of Ag may be concerned with potential impact to prominent grower groups in their state.

Stakeholder Outreach

- · PRD recently reached out to registrants and others (e.g., USDA, CDPR) to discuss initial scoping of mitigation
- PRD plans to continue outreach to stakeholders
 - Goals
 - · Anticipate impacts of proposed mitigation [briefly described above]
 - · Improve how implementable and enforceable mitigation may be
 - Stakeholders
 - USDA, OPMP and IR-4
 - Growers
 - Registrants
 - · States (SFIREG, AAPCO, NASDA)
 - Beekeepers
 - · The public
 - Other Stakeholders (American Hort, NALP, NPMA)

Internal, Deliberative - Do Not Cite, Describate, or Quote

4.4

Next Steps and Timeline

Anticipated Timelines for Completion

Activity	Date	
Brief to OPP	August 2019	
Brief to OCSPP	September 2019	
Draft Documents ready for DD review & signature	October 2019	
Publication in FR and regulations.gov	Before the end of 2019	

Planned Communications Materials for PID release:

- · Desk statement
- OPP Update
- Website Update
- Q&A

Internal, Deliberative - Do Not Cite, Dembute, or Quete $= 23\,$

Coms are what we're envisioning but will have to talk to Rick about what he thinks moving forward. Also mention that we plan on reaching out to registrants again in a brief thirty minute conference call to update them more generally on developments. We will not be going into detail regarding mitigation.

